

UPHOLSTERY

SAFETY DATA SHEET



SECTION 1 - Indentification

1.1 Identification		
Product form	:	Mixture
Product name	:	XPEL FUSION PLUS UPHOLSTERY
Product code	:	R1372
Version	:	EU SDS V1.0

Contains Naphtha (petroleum), hydrotreated heavy

1.2. Relevant identified uses of the substance or mixture and uses advised against Surface protectant / surfacant						
 1.3 Details of the Supplier of the Safe XPEL, Inc. 618 W. Sunset San Antonio, TX, 78216 T: +1 210-678-3700 	∋ty Data Sheet					
1.4 Emergency telephone number						
Emergency Number	: +1 352-323-3500 (INFOTRAC International) : +1 800-535-5053 (INFOTRAC)					
SECTION 2 - Hazard(s) identific	ation					
2.1 Classification of the substance or	mixture					
Regulation (EC) No 1272/2008 Aspiration toxicity	Category 1 - (H304)					
Specific target organ toxicity — single						
2.2 Label Elements						
Product Identifier Contains Naphtha (petroleum), hydrotreated heavy						
Signal word	: Danger					
Hazard statements	: H304 - May be fatal if swallowed and enters airways					
	: H335 - May cause respiratory irritation					
Precautionary statements EU (§28, 1272/2008)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray P271 - Use only outdoors or in a well-ventilated area P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor P331 - Do NOT induce vomiting P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P312 - Call a POISON CENTER or doctor if you feel unwell P403 + P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/ container to an approved waste disposal plant 					
2.3 Other hazards						

No additional information available

SE	SECTION 3 - Composition/Information on ingredients								
3.2	2 Mixtures								
	Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation	REACH Registration			
					(EC) No. 1272/2008 [CLP]	Number			
	Naphtha (petroleum), hydrotreated heavy	Present	64742-48-9	60-80	Muta. 1B (H340)	Not determined			
					Carc. 1B (H350)				
					Asp. Tox. 1 (H304)				
					STOT SE 3 (H336)				
					(Self-Classification)				

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

FUSION PLUS[™] CERAMIC COATING

UPHOLSTERY SAFETY DATA SHEET



SECTION 4 - First-aid measures

4.1 Description of first-aid measures

General Advice Provide this SDS to medical personnel for treatment.

- Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
- Inhalation Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
- Ingestion Immediately call a poison center or doctor/physician. Never give anything by mouth to an unconscious person. Do NOT induce vomiting.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. May cause skin and eye irritation. May cause respiratory irritation.

4.3. Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

SECTION 5 - Fire-fighting measures

5.1 Suitable (and unsuitable) extinguishing media						
Suitable extinguishing media	:	Carbon dioxide (CO2). Dry chemical. Foam.				
Unsuitable extinguishing media	:	Water.				

5.2. Special Hazards Arising from the Substance or Mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

Hazard combustion products - Carbon Oxides

5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

SECTION 6 - Accidental release measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Wear protective clothing as described in Section 8 of this safety data sheet. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

For Emergency Responders

Use personal protection recommended in Section 8.

6.2 Environmental precautions

See Section 12 for additional Ecological Information.

6.3 Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Absorb spill with inert material (e.g. dry sand or earth). Place in suitable containers for disposal. Do not flush to sewer.

6.4 Reference to other sections

See Section 13: DISPOSAL CONSIDERATIONS.

SECTION 7 - Handling and storage

7.1 Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing and eye/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

FUSION PLUS

UPHOLSTERY SAFETY DATA SHEET



SECTION 7 - Handling and storage

7.2. Conditions for Safe Storage, Including any Incompatibilities Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Protect from extreme temperatures. Protect from direct sunlight.

7.3. Specific End Use(s)

Specific Use(s)

Surface protectant/surfactant.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

SECTION 8 - Exposure controls/personal protection							
8.1 Control parameters							
Exposure Limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.						
8.2 Appropriate Engineer	ng Controls						
Engineering Controls	Ensure adequate ventilation, especially in confined areas						
Personal Protective Equip	nent						
Eye/Face Prote	tion Use chemical safety goggles and/or full-face shield where splashing is possible. Refer to European Standard EN 166.						
Hand Protection	If necessary, refer to appropriate regulations and standards						
Skin and Body I	rotection Suitable protective clothing. If necessary, refer to appropriate regulations and standards.						
Respiratory Pro	ection In case of insufficient ventilation, wear suitable respiratory equipment. If necessary, refer to appropriate regulations and standards.						

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties							
: Liquid							
: Clear liquid							
: Clear liquid							
: None							
: Not determined							
: Not determined							
: Not determined							
: 100°C / 212 °F							
: Not determined							
: < 1 (Butyl Acetate = 1)							
: Liquid - Not applicable							
: Not determined							
: Not determined							
: 20 hPa @ 25°C (77°F)							
: Not determined							
: Not determined							
: Not determined							
: Not determined							
: Not determined							
: 400°C / 752 °F							
: Not determined							
:1.2 mm2/s							
: Not determined							
: Not determined							
: Not determined							

SECTION 10: Stability and reactivity

10.1 Reactivity

Not reactive under normal conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

None under normal processing.

FUSION PLUS

UPHOLSTERY SAFETY DATA SHEET



SECTION 10: Stability and reactivity

10.4 Conditions to avoid

Heat. Incompatible Materials. Sources of ignition. Direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon oxides.

SECTION 11: Toxicological information

11.1 Information on toxicological effects Acute toxicity

Product Information

Do not inhale.
Avoid contact with eyes.
Avoid contact with skin.
Do not ingest.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	6,006.00 mg/kg
ATEmix (dermal)	3,163.16 mg/kg

Unknown Acute Toxicity

100 % of the mixture consists of ingredient(s) of unknown toxicity.
0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).
100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50				
Naphtha (petroleum), hydrotreated	heavy > 6000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	> 8500 mg/m3 (Rat) 4 h				
Skin corrosion/irritation	Not classified.						
Serious eye damage/eye irritation	Not classified.						
Sensitisation	Not classified.						
Germ cell mutagenicity	Not classified.						
Carcinogenicity		his product contains mineral oils which are considered to be severely refined and not considered to be arcinogenic under EU Regulations. All of the oils in this product have been demonstrated to contain less than % extractables by the IP 346 test.					
Chemic	al name	Europe	ropean Union				
Naphtha (petroleum)), hydrotreated heavy	Car	c. 1B				
Reproductive toxicity	Not classified.						
STOT - single exposure	May cause drowsiness or dizziness.						
STOT - repeated exposure	Not classified.						
Aspiration hazard	May be fatal if swallowed and enters air	vays.					

FUSION PLUS[™] ceramic coating

UPHOLSTERY SAFETY DATA SHEET



2.1 Toxicity			
Chemical name	Algae/aquatic p	ants Fish	Crustacea
Naphtha (petroleum), hydrotreated	heavy -	2200: 96 h Pimepha promelas mg/L LC5	
2.2 Persistence and degradability ot determined.			
2.3 Bioaccumulative potential here is no data for this product. 2.4 Mobility in soil ot determined.			
2.5. Results of PBT and vPvB Assessme ot determined.	ent		
2.6. Other Adverse Effects lot determined.			
ECTION 13: Disposal consideration	ons		
3.1 Disposal methods			
/aste from residues/unused products	Disposal should be in accorda	nce with applicable regional, nationa	al and local laws and regulations.
Contaminated Packaging	Improper disposal or reuse of	this container may be dangerous an	nd illegal.
ECTION 14: Transport information	n		
MDG 4.2 Proper Shipping Name	Not Regulated		
ID 4.2 Proper Shipping Name	Not Regulated		
NDR 4.2 Proper Shipping Name	Not Regulated		
ATA 4.2 Proper Shipping Name	Not Regulated		
ECTION 15: Regulatory information	on		
5.1. Safety, Health and Environmental F lational Regulations France	Regulations/Legislation Specifi	: for the Substance or Mixture	
Occupational Illnesses (R-463-3, France	e)		
		nch RG number	Title
Chemical name	Fre	nch RG number	litte
Chemical name Naphtha (petroleum), hydrotr 64742-48-9		RG 84	inte
Naphtha (petroleum), hydrotr 64742-48-9 Suropean Union	reated heavy	RG 84	sks related to chemical agents at work.
Naphtha (petroleum), hydrotr 64742-48-9 uropean Union Take note of Directive 98/24/1 uthorizations and/or restrictions on us	reated heavy EC on the protection of the hea se:	RG 84	sks related to chemical agents at work.
Naphtha (petroleum), hydrotr 64742-48-9 Suropean Union Take note of Directive 98/24/1 Authorizations and/or restrictions on us	reated heavy EC on the protection of the hea se:	RG 84 Ith and safety of workers from the ri	sks related to chemical agents at work.
Naphtha (petroleum), hydrotr 64742-48-9 uropean Union Take note of Directive 98/24/1 uthorizations and/or restrictions on us This product contains one or i ersistent Organic Pollutants	reated heavy EC on the protection of the hea se: more substance(s) subject to re	RG 84 Ith and safety of workers from the ri	sks related to chemical agents at work.

FUSION PLUS

UPHOLSTERY SAFETY DATA SHEET



SECTION 15: Regulatory information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

International Inventories

Chemical name	TSCA	DSL/ NDSL	EINECS/ ELINCS	PICCS	ENCS	IECSC	AICS	KECL
Naphtha (petroleum), hydrotreated heavy 64742-48-9 (60-80)	Х	Х	Х	Х	-	Х	Х	Х
Siloxanes and silicones 1242619-23- 3 (5-19)	Х	Х	-	-	-	-	×	-

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2 International regulations

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H304 - May be fatal if swallowed and enters airways

- H340 May cause genetic defects
- H350 May cause cancer
- H336 May cause drowsiness or dizziness

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term
Ceiling	Maximum limit value	*	Skin designation

Classification Procedure

Calculation method

Issue Date:	29-Sept-2020
Revision Date:	1-Jan-2021
Revision Note:	New format

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2015/830

Term Exposure Limit)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



UPHOLSTERY

SAFETY DATA SHEET





UPHOLSTERY

SAFETY DATA SHEET

