

**3M** Science.  
Applied to Life.™

# Restyling

with 3M™ DI-NOC™  
Architectural Finishes

3M DI-NOC™ delivers everything you need from a surface finish. Light weight, flexible and with a hard-wearing pleasing appearance.

The patterns offer good flame retardant levels, together with excellent resistance to water, dirt, and general wear and tear.

Furthermore, thanks to an integrated system of invisible grooves allowing air to escape, the patented 3M Comply™ technology simplifies installation making it faster and more fluid.

Nothing needs to be dismantled, everything can be transformed: furnishings, benches, desks, side tables, doors, dividing walls, false ceilings, lifts, woodwork.

And the greatest advantage for clients is that the work can almost always be done without having to shut up shop!

**The new 3M DI-NOC™ Collection 2018-2020** is even broader and more complete to be at the cutting edge and aligned to new trends in the world of interior decoration.



# Make your spaces extraordinary!

3M DI-NOC™ adhesive laminates are an innovation and a source of inspiration for your creativity, enabling you to transform projects into reality with huge application potential

# Reference markets

In the vast market of space renovation, customization, flexibility, speed of completion, optimization of budget and, obviously, quality, this requires the greatest attention when choosing the best products and solutions.

Thanks to their characteristics of adaptability, top level materials and colours, they are suitable in all contexts, ranging from contractual to medical, and retail to boats.

3M™ DI-NOC™ adhesive surface finishes are the best response to these types of requirements, created and perfected over more than 70 years of production.



HOSPITALITY



RETAIL



HEALTH CARE



CORPORATE



MARINE



PRODUCTS



# HOSPITALITY



HOTELS



RESIDENCES



BARs



RESTAURANTS



FW-7011





The quality of this product is well known for its technology, design and efficiency, essential parameters in the hospitality and catering sector. 3M™ DI-NOC™ adhesive finishes are anti-bacterial, fire-proof and easy to clean, all basic requirements in settings designed to accommodate the public. The main feature of the 3M™ DI-NOC™ solutions is its simplicity and speed compared to traditional restructuring techniques.

Renovation, in fact, is carried out in a dry working environment without using invasive equipment or noisy tools that would be incompatible with normal business in public places.

This means that business owners are guaranteed continuity in their places of work, avoiding temporary closures and consequent loss of earnings.



AE-1641




FW-1307



FW-1734H



WG-1220





# RETAIL




SHOPS



SHOWROOMS



SHOPPING CENTRES



PS-959






Entertainment and a stimulating atmosphere; this is the leverage used by retailers to ensure the attractiveness of their shops to customers during the process of buying goods and services. Today's consumers look to be welcomed into a place that is comfortable and tidy, with enough space to move around freely. However, in the process of renovation of a commercial business, the time and budget available are often an obstacle.

3M™ DI-NOC™ adhesive finishes for retail combine flexibility and ease of installation. They are low maintenance, but maximum impact!


They can be applied on all surfaces in a shop, from the furnishings to the ceilings, the walls to the windows, including all furnishing accessories.




PA-185



CN-1623



VM-1488



LE-783





# HEALTH CARE



HOSPITALS



SURGERIES



PUBLIC AREAS



FE-813







In the Health Care industry, hygiene and cleanliness are essential. As a result, it is important to offer solutions, products and materials that are dirt repellent and resistant to water, impact and wear and tear.


It has been proven that venues that are more welcoming in their colour and design greatly improve the productivity of medical personnel, as well as creating a feel-good factor for patients. The welcoming atmosphere further reduces

the perception of medicalisation and this positive image in hospitals and clinics contributes greatly to creating an atmosphere of trust and partnership between patients and medical staff.


3M DI-NOC™ adhesive finishes for Health Care provide extremely high levels of performance with maximum safety and help to transform areas that are commonly anonymous and neutral into spaces that are cheerful and comfortable.





PS-503



AR-1118



PS-1187



TE-1713





# CORPORATE



BANKS



CINEMAS



MUSEUMS



OFFICES



PA-389EX





The office world is one of the sectors most exposed to the need for renovation of its spaces, ranging from dividing walls to glass surfaces, furnishings to ceilings. 3M™ DI-NOCT™ adhesive finishes offer the widest and most reassuring responses in this respect; they are technically avant-garde and have an exclusive design that is aligned to the latest market trends.

The latter combine stylistic and functional needs at the same time. Tested for long-term durability under any conditions, they guarantee a safe investment as they are easy to install and maintenance costs are practically non-existent.



ME-007EX



PS-954



WG-1363



PS-090EX





# MARINE

The leisure boat market is a privileged catalyst of current and futuristic technologies. Similarly, it is a summary of varied experiences, ranging from the search for "luxury" to the affection that often develops between a boat and its owner.

3M DI-NOC™ adhesive finishes are a revolutionary technology in the field of ultra-light adhesive laminates, which perfectly reproduces many materials, both in look and to the touch. Extremely flexible finishes, specific for renovating and restyling all surfaces, including 3D.



LE-1105



FW-1302



PC-760



NU-1785










## PRODUCTS

# 3M™ DI-NOC™ ARCHITECTURAL FINISHES COLLECTION 2018 – 2020

**40 families** with over **1000 patterns**, of which 225 are new, in order to meet all stylistic requirements.

The world of interior decorating.



## AVAILABLE FINISHES

Incomparable finishes created to meet any design needs. And all this without compromising on aesthetic quality and indeed faithfully reproducing a huge range of natural materials, both in look and feel.




WOOD




METAL




ABSTRACT



TEXTILE



STONE



LEATHER



AGED METAL




SINGLE  
COLOUR




MATTE WOOD



LACQUERED



CEMENT



EFFECT

### 3M DI-NOC Features

|                  |  |
|------------------|--|
| <b>Guarantee</b> | 12 years indoors - 5 years outdoors  |
| <b>Uses</b>      | Renovation of dividing walls, ceilings, bar seats, reception areas, furniture and shelves for offices, fittings for shops, shopping centres, lifts and doors |
| <b>Surfaces</b>  | Aluminium, steel, laminates, walls, plaster board, methacrylic panels, etc. including 3D   |
| <b>Pattern</b>   | Wood, metal, stone, stucco, marble, leather, carbon, web, fabric, lacquer, etc.  |
| <b>Finishes</b>  | Over 1000  |
| <b>Thickness</b> | 215 ± 10 µm  |
| <b>Adhesive</b>  | Comply™ Permanent Acrylic (micro grooves for releasing air)  |

Consult the technical literature on details for conditions of application and guarantee.

### 3M DI-NOC Certification

|                             |   |
|-----------------------------|---|
| <b>IMO</b>                  | For the marine sector IMO FTP Code (parts 2 and 5 of ANNEX 1)                           |
| <b>CEN/TS</b>               | For the railway sector conforms to standards CEN/TS 45542-2 (risk level HL1 and HL2)    |
| <b>Smoke Classification</b> | Complies with standard DIN EN 13823 (European Single Burning Item)                      |
| <b>ISO 5660</b>             | Fire protection barrier (Japanese Ministry for infrastructures)                         |
| <b>CE Mark</b>              | Complies with European Standards EN 15102 (mandatory certification for indoor finishes) |
| <b>Class of reaction</b>    | Complies with Standards DIN EN 13501-1 and DIN EN 12149                                 |



## PRODUCTS

# 3M™ DI-NOC™ EXTERIOR

3M DI-NOC Exterior is a new Adhesive Finish developed for application on outdoor facades. Durable, stable in dimension, it is weather-resistant and is guaranteed for 10 years. These decorative finishes provide the warmth of wood grain, an elegant metal sensation, the essence of freshness for natural stone and pure colours.

The 3M DI-NOC Exterior series can be applied directly onto smooth, non-porous surfaces, such as aluminium, stainless steel, and painted metal. The main features of 3M DI-NOC Exterior adhesive finishes are their simplicity and speed of completion, significantly reducing work site costs.



### 3M DI-NOC Exterior Features

|                  |  |
|------------------|--|
| <b>Guarantee</b> | 10 years outdoors  |
| <b>Uses</b>      | Renovation of facades, frames, doors, columns and much more      |
| <b>Surfaces</b>  | Metallic   |
| <b>Pattern</b>   | Wood, metal, stone and solid colours                             |
| <b>Finishes</b>  | Over 100   |
| <b>Thickness</b> | 215 ± 10 µm  |
| <b>Adhesive</b>  | Comply™ Permanent Acrylic (micro grooves to allow air to escape) |

Consult the technical literature for details on conditions of application and guarantee.



## PRODUCTS

### 3M™ DI-NOC™ ABRASION RESISTANT

3M DI-NOC™ Abrasion Resistant surface finish was especially developed for the renovation of areas susceptible to heavy duty wear and

tear. Its excellent abrasion resistance together with its maximum flexibility of installation makes it possible to rescue a number of “on site” surfaces, thus avoiding their replacement and incurring no costs for disassembly and disposal: 3M DI-NOC™ Abrasion Resistant is a unique solution of its kind.



#### Features of 3M DI- NOC™ Abrasion Resistant

|                  |   |
|------------------|---|
| <b>Guarantee</b> | 12 years indoors  |
| <b>Uses</b>      | Renovation of areas subject to a high standard of wear and tear, such as lifts, cargo lifts, escalators, columns, handrails, desks, work surfaces, automatic distributors, cash points, bar tables and chairs, restaurants and company canteens |
| <b>Surfaces</b>  | Aluminium, steel, metal laminates, walls, plasterboard, methacrylate panels, etc. Including 3D  |
| <b>Pattern</b>   | Over 60   |
| <b>Finishes</b>  | Wood, metal, stone and solid colours  |
| <b>Thickness</b> | 215 ± 10 µm   |
| <b>Adhesive</b>  | Comply™ Permanent Acrylic (micro grooves for air outlets)   |

Consult the technical literature for details on conditions of application and guarantee.



## PRODUCTS

### 3M™ WHITEBOARD

Transforming a simple wall surface, a dividing panel, a glass wall, or a metal wall into a whiteboard or a projection screen is now possible, thanks to 3M Whiteboard.

Adhesive and non-adhesive white boards which are extremely flexible, innovative and prestigious, suitable for meeting rooms, schools, colleges and universities, with no limitations of size.



#### Features of 3M Whiteboard

|                  |                        |                        |                    |                    |                   |
|------------------|------------------------|------------------------|--------------------|--------------------|-------------------|
| <b>Guarantee</b> | 12 years indoors       |                        |                    |                    |                   |
| <b>Uses</b>      | Writing and projection | Writing and projection | Writing            | Writing            | Writing           |
| <b>Surfaces</b>  | Walls, Furnishings     | Metal                  | Walls, Furnishings | Walls, Furnishings | Glass             |
| <b>Pattern</b>   | PWF 500                | PWF 500 MG             | WH 200             | WH 111             | WH 111G           |
| <b>Finishes</b>  | Matt                   | Matt                   | Glossy             | Glossy             | Glossy            |
| <b>Thickness</b> | White                  | White                  | White              | White              | White             |
| <b>Adhesive</b>  | Permanent Acrylic      | Magnetic               | Permanent Acrylic  | Permanent Acrylic  | Permanent Acrylic |

Consult the technical literature for details on conditions of application and guarantee.



**Commercial Solutions Division**  
3M United Kingdom PLC  
3M Centre, Cain Road Bracknell, Berkshire  
RG12 8HT  
Tel: 01344 858000  
commgraphics.uk@mmm.com

**Commercial Solutions Division**  
3M United Kingdom PLC  
4th Floor Building 8  
Exchange Quay, Salford Quays  
Manchester M5 3EJ  
Tel: 01344 857000  
commgraphics.uk@mmm.com

**Commercial Solutions Division**  
3M Ireland (Dublin)  
The Iveagh Building  
The Park, Carrickmines Dublin 18,  
Ireland  
Tel: 00 353 1 280 3555  
commgraphics.uk@mmm.com

[www.3M.co.uk/graphicsolutions](http://www.3M.co.uk/graphicsolutions)  
[www.3M.co.uk/innovativefinishes](http://www.3M.co.uk/innovativefinishes)  
[www.3M.co.uk/facilities](http://www.3M.co.uk/facilities)

© 3M 2018. All rights reserved.  
3M, DI-NOC, Controltac and Comply are  
trademarks of the 3M company.

-  3MFilmsUK
-  3MFilmsUK
-  3MWrapsUK
-  3MWrapsUK
-  3MWrapsUK