

3M Science.
Applied to Life.

3M DI-NOC™ Glass

The unexpected material

April 2024

3M DI-NOC™ Glass – General Characteristics


With its totally transparent adhesive layer, 3M™ DI-NOC™ Glass, an innovative version of the traditional 3M™ DI-NOC™.

It can be applied directly to glass surfaces opening a huge and amazing range of opportunities.

11 patterns will be the introduced ranging from wood, metal, fabric and stone looks, as well as an absolute white and an absolute black.



3M DI-NOC™ Glass – Main features



Resistant to heat and humidity

3M Warranty indoor 12 Years

Roll size 1,22 x 25 mt

3M DI-NOC™ Glass – 11 finishes



ST-1831DG
(DG-1831) ⊗



ME-1716DG
(DG-1716) ⊗



ME-432DG
(DG-432) ⊗



ME-1434DG ⊗



PA-180DG ⊗



ST-1587DG
(DG-1587) ⊗



FA-1161DG
(DG-1161) ⊗



FA-1156DG
(DG-1156) ⊗



ME-379DG
(DG-379) ⊗



RT-1827DG ⊗



PS-504DG
(DG-504) ⊗

Examples of applications.


Examples of applications – DI-NOC™ Glass




Examples of applications – DI-NOC™ Glass



Examples of applications – DI-NOC™ Glass



Examples of applications – DI-NOC™ Glass



Examples of applications – DI-NOC™ Glass



ST-1587DG



FA-1528DG

Examples of applications – DI-NOC™ Glass



Thank you